




**CIRCUIT™ BENCH**

PRODUCT DATA



PRODUCT & PRICING INFO

 **STREETSCAPES**  
303.398.7040 STREET-SCAPES.COM

**FORMS+SURFACES®**



## CIRCUIT™ BENCH

PRODUCT DATA

Simplicity meets strength in the cleanly designed, versatile **Circuit Bench**. Circuit's durable materials easily transition from indoors to out, offering an ideal solution for mixed use environments and public spaces. Its unique frame is comprised of solid cast aluminum with a powdercoat finish, while the seat is available in FSC® Recycled reclaimed Teak hardwood slats with a natural oiled finish. Ideal for malls, corporate campuses or universities, the Circuit Bench makes it easy to carry a design theme from the inside out.

### MATERIAL & CONSTRUCTION DETAILS

### INSTALLATION & MAINTENANCE

FRAME	SEAT	INSTALLATION	MAINTENANCE
<ul style="list-style-type: none"> <li>• Frame is made of solid cast aluminum with a powdercoat finish.</li> <li>• See the Forms+Surfaces Powdercoat Chart for details. Custom RAL colors are available for an upcharge.</li> <li>• Due to the inherent nature of metal castings, gloss powdercoats are not offered for cast components.</li> </ul>	<ul style="list-style-type: none"> <li>• FSC® Recycled reclaimed Teak hardwood slats have a natural oiled finish that enhances the wood's rich color (FSC License Code: FSC-C004453).</li> <li>• Reclaimed Teak hardwood slats are hand salvaged from old, neglected buildings. Each slat is carefully reworked and may have small plugs, minor checking, or grain imperfections.</li> </ul>	<ul style="list-style-type: none"> <li>• Circuit Benches can be freestanding with nylon glides or surface mounted. Surface mounted models include anchors and stainless steel mounting screws.</li> </ul>	<ul style="list-style-type: none"> <li>• Metal surfaces can be cleaned as needed using a soft cloth or brush with warm water and a mild detergent. Avoid abrasive cleaners.</li> <li>• FSC® Recycled reclaimed Teak hardwood slats can be maintained by re-oiling as needed with linseed oil. Avoid abrasive cleaners and spray polishes.</li> </ul>

### NOMINAL DIMENSIONS



MODEL	OVERALL LENGTH	OVERALL DEPTH	OVERALL HEIGHT	WEIGHT
SBCIR-72T	72.0" (1829 mm)	18.0" (457 mm)	18.0" (457 mm)	112.0 lbs (51 kg)

### ENVIRONMENTAL CONSIDERATIONS

- Please refer to the Circuit Bench Environmental Data Sheet for detailed environmental impact information.
- Circuit Bench has a high recycled content and is fully recyclable.
- All Circuit wood is FSC® Recycled.
- Standard powdercoat finishes are no-VOC; non-standard powdercoat finishes are no- or low-VOC, depending on color.
- Low maintenance; easy to disassemble.

### MODEL NUMBER AND DESCRIPTION

MODEL	DESCRIPTION
SBCIR-72T	Circuit Bench, FSC® Recycled reclaimed Teak hardwood slats



## CIRCUIT™ BENCH

PRODUCT DATA

### PRODUCT OPTIONS

The following options are available for an upcharge

Premium Texture Colors from Forms+Surfaces Powdercoat Chart
---

Custom RAL powdercoat color
-----------------------------

**TO ORDER SPECIFY:** Quantity, powdercoat color for frame castings, freestanding or surface mount.