

PRODUCT DATA









PRODUCT DATA


Simple and elegant in form, the Apex Bench is at home in any setting. Built on a solid aluminum frame with seat slats in FSC® 100% Cumaru hardwood, Apex has an open footprint for optimum legroom, ease of cleaning, and security. Adaptable to fit your project needs, Apex Benches can be used on their own, linked end-to-end, or configured for wall-top mounting.

MATERIAL & CONSTRUCTION DETAILS

INSTALLATION & MAINTENANCE

CONFIGURATIONS	FRAME	SLATS	INSTALLATION	MAINTENANCE
The Apex Bench component system allows benches to be configured as individual, standalone units with two legs or as continuous runs in which the adjoining ganged sections share common legs. Since add-on sections require only one leg, their pricing is correspondingly lower. Wall-top configurations are also available. Please contact us to discuss your project's specific requirements.	Frame is made of aluminum with a powdercoat finish. See the Forms+Surfaces Powdercoat Chart for details. Custom RAL colors are available for an upcharge. Due to the inherent nature of metal castings, gloss powdercoats are not offered on cast components.	Seat slats are made of FSC 100% Cumaru hardwood, which offers superior resistance to moisture, insects, fire, vandalism and decay. (FSC License Code: FSC-C004453) The hardwood has a natural oiled finish that enhances the wood's rich color.	Apex Benches must be surface mounted. Anchors and stainless steel mounting screws are included. Wall-top mounting is also available and customized per project. Necessary hardware is included.	Metal surfaces can be cleaned as needed using a soft cloth or brush with warm water and a mild detergent. Avoid abrasive cleaners. Cumaru hardwood can be maintained by re-oiling as needed with Penofin® hardwood finish or similar products.

NOMINAL DIMENSIONS





MODEL	SECTION LENGTH*	OVERALL DEPTH	OVERALL HEIGHT	WEIGHT
SBAPX-72AC	72.3" (1,836 mm)	17.7" (450 mm)	17.0" (432 mm)	92 lbs (42 kg)
SBAPX-72MC	72.3" (1,836 mm)	17.7" (450 mm)	17.0" (432 mm)	86 lbs (39 kg)
SBAPX-72EC	72.0" (1,829 mm)	17.7" (450 mm)	17.0" (432 mm)	83 lbs (38 kg)

^{*}When specifying add-on sections, add 0.25" to overall length of final unit for each add-on section.








67.2 lbs (67.2 kg)

PRODUCT DATA

NOMINAL DIMENSIONS, CONTINUED



2.5" (63.5 mm)

ENVIRONMENTAL CONSIDERATIONS

SBAPX-72SC-W

- Please refer to the Apex Bench Environmental Data Sheet for detailed environmental impact information.
- Apex aluminum frames have a high recycled content.

72.0" (1,829 mm)

- All Apex metal components are fully recyclable.
- All Apex wood is FSC 100%.
- Standard powdercoat finishes are no-VOC; non-standard powdercoat finishes are no- or low-VOC, depending on color.

17.7" (450 mm)

• Low maintenance; easy to disassemble.

MODEL NUMBERS AND DESCRIPTIONS

MODEL	DESCRIPTION
SBAPX-72SC	Apex Bench, standalone bench, surface mount
SBAPX-72AC	Apex Bench, for use with add-on sections, surface mount
SBAPX-72MC	Intermediate add-on section, surface mount
SBAPX-72EC	End add-on section, surface mount
SBAPX-72SC-W	Apex Bench, wall-top mount

PRODUCT OPTIONS

The following options are available for an upcharge

Premium Texture Colors from Forms+Surfaces Powdercoat Chart]
	Custom RAL powdercoat color	