


Wilshire Screen Boulevard Screen

Materials: **Planter + Trellis = Screen!**

Combine our Wilshire Collection or Boulevard Collection rectangular planters and VertiGreen trellis to create attractive, easy-to-install solutions for screening off unsightly views. Use our laser cut metal panels to create a wind screen or privacy panel. Available in FRP, lightweight GFRC, and Boulevard wood in a range of sizes, colors, and screen sizes.



- Commercial-quality, lightweight planters available in nine sizes, dozens of colors and finishes
- VertiGreen 3D trellis supports optimal plant growth - in either 3" or 6" grid size
- Integrated brackets disappear into planter - fast, simple and attractive installation
- Available with Tournesol Siteworks' industry-leading, self-watering container irrigation



Wilshire Screen FRP planters are available in all the same colors, textures and finishes as other FRP fiberglass planters. Check with your salesperson for alternative shapes or sizes. The planter integrates bracket pockets into the interior wall, mount to either a 3D trellis panel or laser-cut windscreen or privacy panel.

Wilshire Screen FRP Planters

Part No.	Trellis Grid	Total Height to top of Screen	Size	Weight (lbs.)	Soil Volume (cubic ft.)	Matching Irrigation
WX3-481824-78	3"	78"	48"L x 18"W x 24"H	78	12	CWM-R1620-2k
WX6-481824-78	6"	78"	48"L x 18"W x 24"H	81	12	CWM-R1620-2k
WX-481824-78	Use WXS screen	78"	48"L x 18"W x 24"H	64	12	CWM-R1620-2k
WX3-482424-78	3"	78"	48"L x 24"W x 24"H	128	16	CWM-R1620-2k
WX6-482424-78	6"	78"	48"L x 24"W x 24"H	131	16	CWM-R1620-2k
WX-482424-78	Use WXS screen	78"	48"L x 24"W x 24"H	114	16	CWM-R1620-2k
WX3-721824-78	3"	78"	72"L x 18"W x 24"H	105	18	CWM-R1620-3k
WX6-721824-78	6"	78"	72"L x 18"W x 24"H	108	18	CWM-R1620-3k
WX-721824-78	Use WXS screen	78"	72"L x 18"W x 24"H	84	18	CWM-R1620-3k
WX3-722424-78	3"	78"	72"L x 24"W x 24"H	175	24	CWM-R1620-3k
WX6-722424-78	6"	78"	72"L x 24"W x 24"H	178	24	CWM-R1620-3k
WX-722424-78	Use WXS screen	78"	72"L x 24"W x 24"H	154	24	CWM-R1620-3k
WX3-961824-78	3"	78"	96"L x 18"W x 24"H	135	22	CWM-R1620-4k
WX6-961824-78	6"	78"	96"L x 18"W x 24"H	140	22	CWM-R1620-4k
WX-961824-78	Use 2x WXS screen	78"	96"L x 18"W x 24"H	107	22	CWM-R1620-4k
WX3-962424-78	3"	78"	96"L x 24"W x 24"H	230	30	CWM-R1620-4k
WX6-962424-78	6"	78"	96"L x 24"W x 24"H	235	30	CWM-R1620-4k
WX-962424-78	Use 2x WXS screen	78"	96"L x 24"W x 24"H	202	30	CWM-R1620-4k
WX3-481836-90	3"	90"	48"L x 18"W x 36"H	113	12	CWM-R1620-2k
WX6-481836-90	6"	90"	48"L x 18"W x 36"H	116	12	CWM-R1620-2k
WX-481836-90	Use WXS screen	90"	48"L x 18"W x 36"H	99	12	CWM-R1620-2k
WX3-721836-90	3"	90"	72"L x 18"W x 36"H	150	18	CWM-R1620-3k
WX6-721836-90	6"	90"	72"L x 18"W x 36"H	153	18	CWM-R1620-3k
WX-721836-90	Use WXS screen	90"	72"L x 18"W x 36"H	129	18	CWM-R1620-3k
WX3-961836-90	3"	90"	96"L x 18"W x 36"H	195	24	CWM-R1620-4k
WX6-961836-90	6"	90"	96"L x 18"W x 36"H	200	24	CWM-R1620-4k
WX-961836-90	Use 2x WXS screen	90"	96"L x 18"W x 36"H	167	24	CWM-R1620-4k
WXS-4848	Patterns 2, 3, 4, 6, 7, 8		48"L x 48"W	30-40		Wind screen or privacy panel
WXS-7248	Patterns 2, 3, 4, 6, 7, 8		72"L x 48"W	45-60		Wind screen or privacy panel



Wilshire Screen planters are available in all the same colors, textures and finishes as other GFRC lightweight planters. Check with your salesperson for alternative shapes or sizes. The planter integrates bracket pockets into the interior wall. Brackets mount to either a 3D trellis panel or laser-cut windscreen or privacy panel.

Wilshire Screen GFRC Planters

Part. No.	Trellis Grid	Total Height to top of Screen	Planter Size	Weight (lbs.)	Soil Volume (cubic ft.)	Matching Irrigation
WCX3-481824-78	3"	78"	48"L x 18"W x 24"H	318	10	CWM-R1614-2k
WCX6-481824-78	6"	78"	48"L x 18"W x 24"H	321	10	CWM-R1614-2k
WCX-481824-78	Use WXS screen	78"	48"L x 18"W x 24"H	304	10	CWM-R1614-2k
WCX3-482424-78	3"	78"	48"L x 24"W x 24"H	353	13	CWM-R1614-2k
WCX6-482424-78	6"	78"	48"L x 24"W x 24"H	356	13	CWM-R1614-2k
WCX-482424-78	Use WXS screen	78"	48"L x 24"W x 24"H	339	13	CWM-R1614-2k
WCX3-721824-78	3"	78"	72"L x 18"W x 24"H	450	14.5	CWM-R1614-3k
WCX6-721824-78	6"	78"	72"L x 18"W x 24"H	453	14.5	CWM-R1614-3k
WCX-721824-78	Use WXS screen	78"	72"L x 18"W x 24"H	429	14.5	CWM-R1614-3k
WCX3-722424-78	3"	78"	72"L x 24"W x 24"H	490	14.5	CWM-R1614-3k
WCX6-722424-78	6"	78"	72"L x 24"W x 24"H	493	14.5	CWM-R1614-3k
WCX-722424-78	Use WXS screen	78"	72"L x 24"W x 24"H	469	14.5	CWM-R1614-3k
WCX3-961824-78	3"	78"	96"L x 18"W x 24"H	605	19	CWM-R1614-4k
WCX6-961824-78	6"	78"	96"L x 18"W x 24"H	610	19	CWM-R1614-4k
WCX-961824-78	Use 2x WXS screen	78"	96"L x 18"W x 24"H	577	19	CWM-R1614-4k
WCX3-962424-78	3"	78"	96"L x 24"W x 24"H	625	27	CWM-R2014-3k
WCX6-962424-78	6"	78"	96"L x 24"W x 24"H	630	27	CWM-R2014-3k
WCX-962424-78	Use 2x WXS screen	78"	96"L x 24"W x 24"H	597	27	CWM-R2014-3k
WCX3-481836-90	3"	90"	48"L x 18"W x 36"H	373	15	CWM-R1620-2k
WCX6-481836-90	6"	90"	48"L x 18"W x 36"H	376	15	CWM-R1620-2k
WCX-481836-90	Use WXS screen	90"	48"L x 18"W x 36"H	359	15	CWM-R1620-2k
WCX3-721836-90	3"	90"	72"L x 18"W x 36"H	540	22.5	CWM-R1620-3k
WCX6-721836-90	6"	90"	72"L x 18"W x 36"H	543	22.5	CWM-R1620-3k
WCX-721836-90	Use WXS screen	90"	72"L x 18"W x 36"H	519	22.5	CWM-R1620-3k
WCX3-961836-90	3"	90"	96"L x 18"W x 36"H	690	30	CWM-R1620-4k
WCX6-961836-90	6"	90"	96"L x 18"W x 36"H	695	30	CWM-R1620-4k
WCX-961836-90	Use 2x WXS screen	90"	96"L x 18"W x 36"H	662	30	CWM-R1620-4k
WXS-4848	Patterns 2, 3, 4, 6, 7, 8		48"L x 48"W	30-40		Wind screen or privacy panel
WXS-7248	Patterns 2, 3, 4, 6, 7, 8		72"L x 48"W	45-60		Wind screen or privacy panel






Boulevard Screen wood planters are made with a robust FRP fiberglass liner to make a beautiful, long-lasting commercial grade wood planter. The planter integrates bracket pockets into the interior wall. Brackets mount to either a 3D trellis panel or laser-cut windscreen or privacy panel. Check with your salesperson for alternative shapes or sizes.

Boulevard Screen Wood Planters


Part. No.	Trellis Grid	Total Height to top of Screen	Exterior Size	Weight (lbs.)	Soil Volume (cubic ft.)	Matching Irrigation
BVX3-481824-78	3"	78"	48"L x 18"W x 24"H	143	10.5	CWM-R1620-2k
BVX6-481824-78	6"	78"	48"L x 18"W x 24"H	146	10.5	CWM-R1620-2k
BVX-481824-78	Use WXS screen	78"	48"L x 18"W x 24"H	129	10.5	CWM-R1620-2k
BVX3-482424-78	3"	78"	48"L x 24"W x 24"H	161	13	CWM-R1620-2k
BVX6-482424-78	6"	78"	48"L x 24"W x 24"H	164	13	CWM-R1620-2k
BVX-482424-78	Use WXS screen	78"	48"L x 24"W x 24"H	147	13	CWM-R1620-2k
BVX3-721824-78	3"	78"	72"L x 18"W x 24"H	190	15.5	CWM-R1620-3k
BVX6-721824-78	6"	78"	72"L x 18"W x 24"H	193	15.5	CWM-R1620-3k
BVX-721824-78	Use WXS screen	78"	72"L x 18"W x 24"H	169	15.5	CWM-R1620-3k
BVX3-722424-78	3"	78"	72"L x 24"W x 24"H	214	21.5	CWM-R1620-3k
BVX6-722424-78	6"	78"	72"L x 24"W x 24"H	217	21.5	CWM-R1620-3k
BVX-722424-78	Use WXS screen	78"	72"L x 24"W x 24"H	193	21.5	CWM-R1620-3k
BVX3-961824-78	3"	78"	96"L x 18"W x 24"H	242	21	CWM-R1620-4k
BVX6-961824-78	6"	78"	96"L x 18"W x 24"H	247	21	CWM-R1620-4k
BVX-961824-78	Use 2x WXS screen	78"	96"L x 18"W x 24"H	214	21	CWM-R1620-4k
BVX3-962424-78	3"	78"	96"L x 24"W x 24"H	272	29	CWM-R1620-4k
BVX6-962424-78	6"	78"	96"L x 24"W x 24"H	277	29	CWM-R1620-4k
BVX-962424-78	Use 2x WXS screen	78"	96"L x 24"W x 24"H	241	29	CWM-R1620-4k
BVX3-481836-90	3"	90"	48"L x 18"W x 36"H	198	16	CWM-R1620-2k
BVX6-481836-90	6"	90"	48"L x 18"W x 36"H	201	16	CWM-R1620-2k
BVX-481836-90	Use WXS screen	90"	48"L x 18"W x 36"H	184	16	CWM-R1620-2k
BVX3-721836-90	3"	90"	72"L x 18"W x 36"H	265	24	CWM-R1620-3k
BVX6-721836-90	6"	90"	72"L x 18"W x 36"H	268	24	CWM-R1620-3k
BVX-721836-90	Use WXS screen	90"	72"L x 18"W x 36"H	244	24	CWM-R1620-3k
BVX3-961836-90	3"	90"	96"L x 18"W x 36"H	338	31.5	CWM-R1620-4k
BVX6-961836-90	6"	90"	96"L x 18"W x 36"H	343	31.5	CWM-R1620-4k
BVX-961836-90	Use 2x WXS screen	90"	96"L x 18"W x 36"H	310	31.5	CWM-R1620-4k
WXS-4848	Patterns 2, 3, 4, 6, 7, 8		48"L x 48"W	30-40	Wind screen or privacy panel	
WXS-7248	Patterns 2, 3, 4, 6, 7, 8		72"L x 48"W	45-60	Wind screen or privacy panel	

PRODUCT & PRICING INFO


Laser cut panel standard patterns




PATTERN 2




PATTERN 3




PATTERN 4



PATTERN 6




PATTERN 7




PATTERN 8


Wilshire wind screen or privacy panels are available with these standard patterns, a custom logo or other custom-specified pattern. Pricing will depend on pattern complexity. Please contact your salesperson for details.



WX3-721824-78





WX-481836-90
With WXS-4848 Pattern #6



WX-721836-90
With WXS-7248 Pattern #7

Wilshire Screen FRP and GFRC Planter Options



Wilshire Screen brackets insert through a slot in the planter, and are attached from the inside using stainless steel fasteners (included).

Tournesol Siteworks VertiGreen® 3D trellis is a strong and durable way to keep vines from damaging walls. Whether the goal is a full greenwall, or simply a living, breathing accent, VertiGreen's truss-reinforced 3D panel gives vines the room to do their thing without climbing the supporting walls. The trellis is offered with either a 3" or 6" grid spacing. All trellis panels are 3" thick.

